



GT タイプ



品番	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	長さ (m)
GT-1	6	10.8	5.8	3			2.75
GT-2	6		4.5	3	6.5	3	3
GT-3	6	12.3	7.3	3			3
GT-4	6		4.5	3	5.5	4	3
GT-5	9	9	5	5			3
GT-6	9	10.8	5	6			3
GT-7	9	14	10	6			4.1
GT-8	9	17	9	6			2.75
GT-9	9	17	12	6			2.75
GT-10	9	19	10	5.5			2.75
GT-11	9	19	11	6			2.75
GT-12	10.5	20	7.5	7.5			3.1
GT-13	8	22	8	4.8			2.75
GT-14	9	25	6.5	3			3
GT-15	9	25	3	5.8			3


GL タイプ



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-1	9	16	4	4	~	3
GL-2	9	17	4	4	△	2.75
GL-3	9	18	4	4	△	2.75
GL-4	9	19	4	4	~	2.75
GL-5	9	24	4	4	△	3
GL-6	9	25	4	4	~	3
GL-7	9	31	4	4	△	3
GL-8	9	32	4	4	~	3
GL-9	9	37	4	4	△	3
GL-10	9	38	4	4	~	3
GL-11	9	43	4	4	△	3
GL-12	9	44	4	4	~	3
GL-13	9	49	4	4	△	3
GL-14	9	50	4	4	~	3
GL-15	9	55	4	4	△	3
GL-16	9	64	4	4	△	3
GL-17	9	65	4	4	~	3
GL-18	9	74	4	4	△	3
GL-19	9	75	4	4	~	3
GL-20	9	89	4	4	△	3
GL-21	9	90	4	4	~	3
GL-22	9	99	4	4	△	3
GL-23	9	100	4	4	~	3
GL-24	9	124	4	4	△	3
GL-25	9	125	4	4	~	3
GL-26	9	15	4	6	△	2.75
GL-27	9	16	4	6	~	2.75
GL-28	9	20	4	6	△	2.75
GL-29	9	24	4	6	△	3
GL-30	9	25	4	6	~	3
GL-31	9	31	4	6	△	3
GL-32	9	32	4	6	~	3
GL-33	9	37	4	6	△	3
GL-34	9	38	4	6	~	3
GL-35	9	43	4	6	△	3
GL-36	9	44	4	6	~	3
GL-37	9	49	4	6	△	3
GL-38	9	50	4	6	~	3
GL-39	9	64	4	6	△	3
GL-40	9	65	4	6	~	3

GLタイプ


GL



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-41	9	74	4	6	△	3
GL-42	9	75	4	6	～	3
GL-43	9	89	4	6	△	3
GL-44	9	90	4	6	～	3
GL-45	9	99	4	6	△	3
GL-46	9	100	4	6	～	3
GL-47	9	16	5	5	～	3
GL-48	9	17	5	5	△	2.75
GL-49	9	18	5	5	△	2.75
GL-50	9	19	5	5	～	2.75
GL-51	9	20	5	5	△	2.75
GL-52	9	24	5	5	△	3
GL-53	9	25	5	5	～	3
GL-54	9	31	5	5	△	3
GL-55	9	32	5	5	～	3
GL-56	9	37	5	5	△	3
GL-57	9	38	5	5	～	3
GL-58	9	43	5	5	△	3
GL-59	9	44	5	5	～	3
GL-60	9	49	5	5	△	3
GL-61	9	50	5	5	～	3
GL-62	9	64	5	5	△	3
GL-63	9	65	5	5	～	3
GL-64	9	74	5	5	△	3
GL-65	9	75	5	5	～	3
GL-66	9	89	5	5	△	3
GL-67	9	90	5	5	～	3
GL-68	9	99	5	5	△	3
GL-69	9	100	5	5	～	3
GL-70	9	124	5	5	△	3
GL-71	9	125	5	5	～	3
GL-72	12	24	5	5	△	3
GL-73	12	25	5	5	～	3
GL-74	12	31	5	5	△	3
GL-75	12	32	5	5	～	3
GL-76	12	37	5	5	△	3
GL-77	12	38	5	5	～	3
GL-78	12	43	5	5	△	3
GL-79	12	44	5	5	～	3
GL-80	12	49	5	5	△	3

品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-81	12	50	5	5	～	3
GL-82	12	64	5	5	△	3
GL-83	12	65	5	5	～	3
GL-84	12	74	5	5	△	3
GL-85	12	75	5	5	～	3
GL-86	12	89	5	5	△	3
GL-87	12	90	5	5	～	3
GL-88	12	99	5	5	△	3
GL-89	12	100	5	5	～	3
GL-90	12	124	5	5	△	3
GL-91	12	125	5	5	～	3
GL-92	16	16	5	5	～	3
GL-93	16	24	5	5	△	3
GL-94	16	25	5	5	～	3
GL-95	16	31	5	5	△	3
GL-96	16	32	5	5	～	3
GL-97	16	37	5	5	△	3
GL-98	16	38	5	5	～	3
GL-99	16	43	5	5	△	3
GL-100	16	44	5	5	～	3
GL-101	16	49	5	5	△	3
GL-102	16	50	5	5	～	3
GL-103	16	64	5	5	△	3
GL-104	16	65	5	5	～	3
GL-105	16	74	5	5	△	3
GL-106	16	75	5	5	～	3
GL-107	16	89	5	5	△	3
GL-108	16	90	5	5	～	3
GL-109	16	99	5	5	△	3
GL-110	16	100	5	5	～	3
GL-111	16	124	5	5	△	3
GL-112	16	125	5	5	～	3
GL-113	9	16	5	5.5	～	3
GL-114	9	17	5	5.5	△	2.75
GL-115	9	18	5	5.5	△	2.75
GL-116	9	19	5	5.5	～	2.75
GL-117	9	20	5	5.5	△	2.75
GL-118	9	24	5	5.5	△	3
GL-119	9	25	5	5.5	～	3
GL-120	9	31	5	5.5	△	3

GLタイプ




品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-121	9	32	5	5.5	~	3
GL-122	9	37	5	5.5	△	3
GL-123	9	38	5	5.5	~	3
GL-124	9	43	5	5.5	△	3
GL-125	9	44	5	5.5	~	3
GL-126	9	49	5	5.5	△	3
GL-127	9	50	5	5.5	~	3
GL-128	9	64	5	5.5	△	3
GL-129	9	65	5	5.5	~	3
GL-130	9	74	5	5.5	△	3
GL-131	9	75	5	5.5	~	3
GL-132	9	89	5	5.5	△	3
GL-133	9	90	5	5.5	~	3
GL-134	9	99	5	5.5	△	3
GL-135	9	100	5	5.5	~	3
GL-136	9	124	5	5.5	△	3
GL-137	9	125	5	5.5	~	3
GL-138	12	24	5	5.5	△	3
GL-139	12	25	5	5.5	~	3
GL-140	12	31	5	5.5	△	3
GL-141	12	32	5	5.5	~	3
GL-142	12	37	5	5.5	△	3
GL-143	12	38	5	5.5	~	3
GL-144	12	43	5	5.5	△	3
GL-145	12	44	5	5.5	~	3
GL-146	12	49	5	5.5	△	3
GL-147	12	50	5	5.5	~	3
GL-148	12	64	5	5.5	△	3
GL-149	12	65	5	5.5	~	3
GL-150	12	74	5	5.5	△	3
GL-151	12	75	5	5.5	~	3
GL-152	12	89	5	5.5	△	3
GL-153	12	90	5	5.5	~	3
GL-154	12	99	5	5.5	△	3
GL-155	12	100	5	5.5	~	3
GL-156	12	124	5	5.5	△	3
GL-157	12	125	5	5.5	~	3
GL-158	16	16	5	5.5	~	3
GL-159	16	24	5	5.5	△	3
GL-160	16	25	5	5.5	~	3

品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-161	16	31	5	5.5	△	3
GL-162	16	32	5	5.5	~	3
GL-163	16	37	5	5.5	△	3
GL-164	16	38	5	5.5	~	3
GL-165	16	43	5	5.5	△	3
GL-166	16	44	5	5.5	~	3
GL-167	16	49	5	5.5	△	3
GL-168	16	50	5	5.5	~	3
GL-169	16	64	5	5.5	△	3
GL-170	16	65	5	5.5	~	3
GL-171	16	74	5	5.5	△	3
GL-172	16	75	5	5.5	~	3
GL-173	16	89	5	5.5	△	3
GL-174	16	90	5	5.5	~	3
GL-175	16	99	5	5.5	△	3
GL-176	16	100	5	5.5	~	3
GL-177	16	124	5	5.5	△	3
GL-178	16	125	5	5.5	~	3
GL-179	9	16	5	6	~	3
GL-180	9	17	5	6	△	2.75
GL-181	9	18	5	6	△	2.75
GL-182	9	19	5	6	~	2.75
GL-183	9	20	5	6	△	2.75
GL-184	9	24	5	6	△	3
GL-185	9	25	5	6	~	3
GL-186	9	31	5	6	△	3
GL-187	9	32	5	6	~	3
GL-188	9	37	5	6	△	3
GL-189	9	38	5	6	~	3
GL-190	9	43	5	6	△	3
GL-191	9	44	5	6	~	3
GL-192	9	49	5	6	△	3
GL-193	9	50	5	6	~	3
GL-194	9	64	5	6	△	3
GL-195	9	65	5	6	~	3
GL-196	9	74	5	6	△	3
GL-197	9	75	5	6	~	3
GL-198	9	89	5	6	△	3
GL-199	9	90	5	6	~	3
GL-200	9	99	5	6	△	3

GLタイプ


GL



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-201	9	100	5	6	~	3
GL-202	9	124	5	6	△	3
GL-203	9	125	5	6	~	3
GL-204	12	24	5	6	△	3
GL-205	12	25	5	6	~	3
GL-206	12	31	5	6	△	3
GL-207	12	32	5	6	~	3
GL-208	12	37	5	6	△	3
GL-209	12	38	5	6	~	3
GL-210	12	43	5	6	△	3
GL-211	12	44	5	6	~	3
GL-212	12	49	5	6	△	3
GL-213	12	50	5	6	~	3
GL-214	12	64	5	6	△	3
GL-215	12	65	5	6	~	3
GL-216	12	74	5	6	△	3
GL-217	12	75	5	6	~	3
GL-218	12	89	5	6	△	3
GL-219	12	90	5	6	~	3
GL-220	12	99	5	6	△	3
GL-221	12	100	5	6	~	3
GL-222	12	124	5	6	△	3
GL-223	12	125	5	6	~	3
GL-224	16	16	5	6	~	3
GL-225	16	24	5	6	△	3
GL-226	16	25	5	6	~	3
GL-227	16	31	5	6	△	3
GL-228	16	32	5	6	~	3
GL-229	16	37	5	6	△	3
GL-230	16	38	5	6	~	3
GL-231	16	34	5	6	△	3
GL-232	16	44	5	6	~	3
GL-233	16	49	5	6	△	3
GL-234	16	50	5	6	~	3
GL-235	16	64	5	6	△	3
GL-236	16	65	5	6	~	3
GL-237	16	74	5	6	△	3
GL-238	16	75	5	6	~	3
GL-239	16	89	5	6	△	3
GL-240	16	90	5	6	~	3

品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-241	16	99	5	6	△	3
GL-242	16	100	5	6	~	3
GL-243	16	124	5	6	△	3
GL-244	16	125	5	6	~	3
GL-245	9	24	6	5	△	3
GL-246	9	25	6	5	~	3
GL-247	9	31	6	5	△	3
GL-248	9	32	6	5	~	3
GL-249	9	37	6	5	△	3
GL-250	9	38	6	5	~	3
GL-251	9	43	6	5	△	3
GL-252	9	44	6	5	~	3
GL-253	9	49	6	5	△	3
GL-254	9	50	6	5	~	3
GL-255	9	64	6	5	△	3
GL-256	9	65	6	5	~	3
GL-257	9	74	6	5	△	3
GL-258	9	75	6	5	~	3
GL-259	9	89	6	5	△	3
GL-260	9	90	6	5	~	3
GL-261	9	99	6	5	△	3
GL-262	9	100	6	5	~	3
GL-263	9	124	6	5	△	3
GL-264	9	125	6	5	~	3
GL-265	12	24	6	5	△	3
GL-266	12	25	6	5	~	3
GL-267	12	31	6	5	△	3
GL-268	12	32	6	5	~	3
GL-269	12	37	6	5	△	3
GL-270	12	38	6	5	~	3
GL-271	12	43	6	5	△	3
GL-272	12	44	6	5	~	3
GL-273	12	49	6	5	△	3
GL-274	12	50	6	5	~	3
GL-275	12	64	6	5	△	3
GL-276	12	65	6	5	~	3
GL-277	12	74	6	5	△	3
GL-278	12	75	6	5	~	3
GL-279	12	89	6	5	△	3
GL-280	12	90	6	5	~	3

GLタイプ




品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-281	12	99	6	5	△	3
GL-282	12	100	6	5	～	3
GL-283	12	124	6	5	△	3
GL-284	12	125	6	5	～	3
GL-285	9	24	6	6	△	3
GL-286	9	25	6	6	～	3
GL-287	9	28	6	6	△	3
GL-288	9	31	6	6	△	3
GL-289	9	32	6	6	～	3
GL-290	9	37	6	6	△	3
GL-291	9	38	6	6	～	3
GL-292	9	42	6	6	△	3
GL-293	9	43	6	6	△	3
GL-294	9	44	6	6	～	3
GL-295	9	49	6	6	△	3
GL-296	9	50	6	6	～	3
GL-297	9	64	6	6	△	3
GL-298	9	65	6	6	～	3
GL-299	9	70	6	6	△	3
GL-300	9	74	6	6	△	3
GL-301	9	75	6	6	～	3
GL-302	9	89	6	6	△	3
GL-303	9	90	6	6	～	3
GL-304	9	99	6	6	△	3
GL-305	9	100	6	6	～	3
GL-306	9	124	6	6	△	3
GL-307	9	125	6	6	～	3
GL-308	12	37	6	6	△	3
GL-309	12	38	6	6	～	3
GL-310	12	43	6	6	△	3
GL-311	12	44	6	6	～	3
GL-312	12	49	6	6	△	3
GL-313	12	50	6	6	～	3
GL-314	12	59	6	6	△	3
GL-315	12	64	6	6	△	3
GL-316	12	65	6	6	～	3
GL-317	12	72	6	6	△	3
GL-318	12	74	6	6	△	3
GL-319	12	75	6	6	～	3
GL-320	12	89	6	6	△	3

品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-321	12	90	6	6	～	3
GL-322	12	99	6	6	△	3
GL-323	12	100	6	6	～	3
GL-324	12	124	6	6	△	3
GL-325	12	125	6	6	～	3
GL-326	16	16	6	6	～	3
GL-327	16	24	6	6	△	3
GL-328	16	25	6	6	～	3
GL-329	16	31	6	6	△	3
GL-330	16	32	6	6	～	3
GL-331	16	37	6	6	△	3
GL-332	16	37	6	6	～	3
GL-333	16	43	6	6	△	3
GL-334	16	44	6	6	～	3
GL-335	16	49	6	6	△	3
GL-336	16	50	6	6	～	3
GL-337	16	64	6	6	△	3
GL-338	16	65	6	6	～	3
GL-339	16	74	6	6	△	3
GL-340	16	75	6	6	～	3
GL-341	16	89	6	6	△	3
GL-342	16	90	6	6	～	3
GL-343	16	99	6	6	△	3
GL-344	16	100	6	6	～	3
GL-345	16	124	6	6	△	3
GL-346	16	125	6	6	～	3
GL-347	9	24	6	7	△	3
GL-348	9	25	6	7	～	3
GL-349	9	31	6	7	△	3
GL-350	9	32	6	7	～	3
GL-351	9	37	6	7	△	3
GL-352	9	38	6	7	～	3
GL-353	9	43	6	7	△	3
GL-354	9	44	6	7	～	3
GL-355	9	49	6	7	△	3
GL-356	9	50	6	7	～	3
GL-357	9	64	6	7	△	3
GL-358	9	65	6	7	～	3
GL-359	9	74	6	7	△	3
GL-360	9	75	6	7	～	3

GLタイプ


GL



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-361	9	89	6	7	△	3
GL-362	9	90	6	7	～	3
GL-363	9	99	6	7	△	3
GL-364	9	100	6	7	～	3
GL-365	9	120	6	7	△	3
GL-366	9	124	6	7	△	3
GL-367	9	125	6	7	～	3
GL-368	12	24	6	7	△	3
GL-369	12	25	6	7	～	3
GL-370	12	31	6	7	△	3
GL-371	12	32	6	7	～	3
GL-372	12	37	6	7	△	3
GL-373	12	38	6	7	～	3
GL-374	12	43	6	7	△	3
GL-375	12	44	6	7	～	3
GL-376	12	49	6	7	△	3
GL-377	12	50	6	7	～	3
GL-378	12	64	6	7	△	3
GL-379	12	65	6	7	～	3
GL-380	12	74	6	7	△	3
GL-381	12	75	6	7	～	3
GL-382	12	89	6	7	△	3
GL-383	12	90	6	7	～	3
GL-384	12	99	6	7	△	3
GL-385	12	100	6	7	～	3
GL-386	12	124	6	7	△	3
GL-387	12	125	6	7	～	3
GL-388	12	24	6	8	△	3
GL-389	12	25	6	8	～	3
GL-390	12	31	6	8	△	3
GL-391	12	32	6	8	～	3
GL-392	12	43	6	8	△	3
GL-393	12	44	6	8	～	3
GL-394	16	16	6	10	～	3
GL-395	16	24	6	10	△	3
GL-396	16	25	6	10	～	3
GL-397	16	31	6	10	△	3
GL-398	16	32	6	10	～	3
GL-399	16	37	6	10	△	3
GL-400	16	38	6	10	～	3

品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-401	16	43	6	10	△	3
GL-402	16	44	6	10	～	3
GL-403	16	49	6	10	△	3
GL-404	16	50	6	10	～	3
GL-405	16	64	6	10	△	3
GL-406	16	65	6	10	～	3
GL-407	16	74	6	10	△	3
GL-408	16	75	6	10	～	3
GL-409	16	89	6	10	△	3
GL-410	16	90	6	10	～	3
GL-411	16	99	6	10	△	3
GL-412	16	100	6	10	～	3
GL-413	16	124	6	10	△	3
GL-414	16	125	6	10	～	3
GL-415	9	24	7	5	△	3
GL-416	9	25	7	5	～	3
GL-417	9	31	7	5	△	3
GL-418	9	32	7	5	～	3
GL-419	9	37	7	5	△	3
GL-420	9	38	7	5	～	3
GL-421	9	43	7	5	△	3
GL-422	9	44	7	5	～	3
GL-423	9	49	7	5	△	3
GL-424	9	50	7	5	～	3
GL-425	9	64	7	5	△	3
GL-426	9	65	7	5	～	3
GL-427	9	74	7	5	△	3
GL-428	9	75	7	5	～	3
GL-429	9	89	7	5	△	3
GL-430	9	90	7	5	～	3
GL-431	9	99	7	5	△	3
GL-432	9	100	7	5	～	3
GL-433	9	124	7	5	△	3
GL-434	9	125	7	5	～	3
GL-435	12	24	7	8	△	3
GL-436	12	25	7	8	～	3
GL-437	12	31	7	8	△	3
GL-438	12	32	7	8	～	3
GL-439	12	37	7	8	△	3
GL-440	12	38	7	8	～	3

GLタイプ




品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-441	12	43	7	8	△	3
GL-442	12	44	7	8	～	3
GL-443	12	49	7	8	△	3
GL-444	12	50	7	8	～	3
GL-445	12	64	7	8	△	3
GL-446	12	65	7	8	～	3
GL-447	12	74	7	8	△	3
GL-448	12	75	7	8	～	3
GL-449	12	89	7	8	△	3
GL-450	12	90	7	8	～	3
GL-451	12	99	7	8	△	3
GL-452	12	100	7	8	～	3
GL-453	12	124	7	8	△	3
GL-454	12	125	7	8	～	3
GL-455	12	150	7	8	△	3
GL-456	12	24	7	9	△	3
GL-457	12	25	7	9	～	3
GL-458	12	31	7	9	△	3
GL-459	12	32	7	9	～	3
GL-460	12	37	7	9	△	3
GL-461	12	38	7	9	～	3
GL-462	12	43	7	9	△	3
GL-463	12	44	7	9	～	3
GL-464	12	49	7	9	△	3
GL-465	12	50	7	9	～	3
GL-466	12	64	7	9	△	3
GL-467	12	65	7	9	～	3
GL-468	12	74	7	9	△	3
GL-469	12	75	7	9	～	3
GL-470	12	80	7	9	△	3
GL-471	12	89	7	9	△	3
GL-472	12	90	7	9	～	3
GL-473	12	99	7	9	△	3
GL-474	12	100	7	9	～	3
GL-475	12	124	7	9	△	3
GL-476	12	125	7	9	～	3
GL-477	16	16	7	9	～	3
GL-478	16	24	7	9	△	3
GL-479	16	25	7	9	～	3
GL-480	16	31	7	9	△	3

品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-481	16	32	7	9	～	3
GL-482	16	37	7	9	△	3
GL-483	16	38	7	9	～	3
GL-484	16	43	7	9	△	3
GL-485	16	44	7	9	～	3
GL-486	16	49	7	9	△	3
GL-487	16	50	7	9	～	3
GL-488	16	64	7	9	△	3
GL-489	16	65	7	9	～	3
GL-490	16	74	7	9	△	3
GL-491	16	75	7	9	～	3
GL-492	16	89	7	9	△	3
GL-493	16	90	7	9	～	3
GL-494	16	99	7	9	△	3
GL-495	16	100	7	9	～	3
GL-496	16	124	7	9	△	3
GL-497	16	125	7	9	～	3
GL-498	25	31	7	12	△	3
GL-499	25	32	7	12	～	3
GL-500	25	33	7	12	△	3
GL-501	25	37	7	12	△	3
GL-502	25	38	7	12	～	3
GL-503	25	49	7	12	△	3
GL-504	25	50	7	12	～	3
GL-505	9	16	8	3	～	3
GL-506	9	18	8	3	△	2.75
GL-507	9	19	8	3	～	2.75
GL-508	9	24	8	3	△	3
GL-509	9	25	8	3	～	3
GL-510	9	31	8	3	△	3
GL-511	9	32	8	3	～	3
GL-512	9	37	8	3	△	3
GL-513	9	38	8	3	～	3
GL-514	9	43	8	3	△	3
GL-515	9	44	8	3	～	3
GL-516	9	49	8	3	△	3
GL-517	9	50	8	3	～	3
GL-518	9	64	8	3	△	3
GL-519	9	64	8	3	～	3
GL-520	9	74	8	3	△	3

GLタイプ


GL



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-521	9	75	8	3	~	3
GL-522	9	89	8	3	△	3
GL-523	9	90	8	3	~	3
GL-524	9	99	8	3	△	3
GL-525	9	100	8	3	~	3
GL-526	9	24	8	5	△	3
GL-527	9	25	8	5	~	3
GL-528	9	31	8	5	△	3
GL-529	9	32	8	5	~	3
GL-530	9	37	8	5	△	3
GL-531	9	38	8	5	~	3
GL-532	9	43	8	5	△	3
GL-533	9	44	8	5	~	3
GL-534	9	49	8	5	△	3
GL-535	9	50	8	5	~	3
GL-536	9	64	8	5	△	3
GL-537	9	65	8	5	~	3
GL-538	9	74	8	5	△	3
GL-539	9	75	8	5	~	3
GL-540	9	89	8	5	△	3
GL-541	9	90	8	5	~	3
GL-542	9	99	8	5	△	3
GL-543	9	100	8	5	~	3
GL-544	9	124	8	5	△	3
GL-545	9	125	8	5	~	3
GL-546	12	24	8	9	△	3
GL-547	12	25	8	9	~	3
GL-548	12	31	8	9	△	3
GL-549	12	32	8	9	~	3
GL-550	12	37	8	9	△	3
GL-551	12	38	8	9	~	3
GL-552	12	43	8	9	△	3
GL-553	12	44	8	9	~	3
GL-554	12	49	8	9	△	3
GL-555	12	50	8	9	~	3
GL-556	12	64	8	9	△	3
GL-557	12	65	8	9	~	3
GL-558	12	74	8	9	△	3
GL-559	12	75	8	9	~	3
GL-560	12	89	8	9	△	3

品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-561	12	90	8	9	~	3
GL-562	12	99	8	9	△	3
GL-563	12	100	8	9	~	3
GL-564	12	124	8	9	△	3
GL-565	12	125	8	9	~	3
GL-566	12	24	9	7	△	3
GL-567	12	25	9	7	~	3
GL-568	12	31	9	7	△	3
GL-569	12	32	9	7	~	3
GL-570	12	37	9	7	△	3
GL-571	12	38	9	7	~	3
GL-572	12	43	9	7	△	3
GL-573	12	44	9	7	~	3
GL-574	12	49	9	7	△	3
GL-575	12	50	9	7	~	3
GL-576	12	64	9	7	△	3
GL-577	12	65	9	7	~	3
GL-578	12	74	9	7	△	3
GL-579	12	75	9	7	~	3
GL-580	12	89	9	7	△	3
GL-581	12	90	9	7	~	3
GL-582	12	99	9	7	△	3
GL-583	12	100	9	7	~	3
GL-584	12	124	9	7	△	3
GL-585	12	125	9	7	~	3
GL-586	16	16	9	7	~	3
GL-587	16	24	9	7	△	3
GL-588	16	25	9	7	~	3
GL-589	16	31	9	7	△	3
GL-590	16	32	9	7	~	3
GL-591	16	37	9	7	△	3
GL-592	16	38	9	7	~	3
GL-593	16	43	9	7	△	3
GL-594	16	44	9	7	~	3
GL-595	16	49	9	7	△	3
GL-596	16	50	9	7	~	3
GL-597	16	64	9	7	△	3
GL-598	16	65	9	7	~	3
GL-599	16	74	9	7	△	3
GL-600	16	75	9	7	~	3


GLタイプ



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-601	16	89	9	7	△	3
GL-602	16	90	9	7	～	3
GL-603	16	99	9	7	△	3
GL-604	16	100	9	7	～	3
GL-605	16	124	9	7	△	3
GL-606	16	125	9	7	～	3
GL-607	9	24	9	8	△	3
GL-608	9	25	9	8	～	3
GL-609	9	31	9	8	△	3
GL-610	9	32	9	8	～	3
GL-611	9	37	9	8	△	3
GL-612	9	38	9	8	～	3
GL-613	9	43	9	8	△	3
GL-614	9	44	9	8	～	3
GL-615	9	49	9	8	△	3
GL-616	9	50	9	8	～	3
GL-617	9	64	9	8	△	3
GL-618	9	65	9	8	～	3
GL-619	9	74	9	8	△	3
GL-620	9	75	9	8	～	3
GL-621	9	89	9	8	△	3
GL-622	9	90	9	8	～	3
GL-623	9	99	9	8	△	3
GL-624	9	100	9	8	～	3
GL-625	9	124	9	8	△	3
GL-626	9	125	9	8	～	3
GL-627	12	24	9	8	△	3
GL-628	12	25	9	8	～	3
GL-629	12	31	9	8	△	3
GL-630	12	32	9	8	～	3
GL-631	12	37	9	8	△	3
GL-632	12	38	9	8	～	3
GL-633	12	43	9	8	△	3
GL-634	12	44	9	8	～	3
GL-635	12	49	9	8	△	3
GL-636	12	50	9	8	～	3
GL-637	12	64	9	8	△	3
GL-638	12	65	9	8	～	3
GL-639	12	74	9	8	△	3
GL-640	12	75	9	8	～	3


品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-641	12	89	9	8	△	3
GL-642	12	90	9	8	～	3
GL-643	12	99	9	8	△	3
GL-644	12	100	9	8	～	3
GL-645	12	124	9	8	△	3
GL-646	12	125	9	8	～	3
GL-647	9	14	10	6	△	4.1
GL-648	9	16	10	6	～	3
GL-649	9	20	10	6	△	2.75
GL-650	9	24	10	6	△	3
GL-651	9	25	10	6	～	3
GL-652	9	31	10	6	△	3
GL-653	9	32	10	6	～	3
GL-654	9	37	10	6	△	3
GL-655	9	38	10	6	～	3
GL-656	9	43	10	6	△	3
GL-657	9	44	10	6	～	3
GL-658	9	49	10	6	△	3
GL-659	9	50	10	6	～	3
GL-660	9	64	10	6	△	3
GL-661	9	65	10	6	～	3
GL-662	9	74	10	6	△	3
GL-663	9	75	10	6	～	3
GL-664	9	89	10	6	△	3
GL-665	9	90	10	6	～	3
GL-666	9	99	10	6	△	3
GL-667	9	100	10	6	～	3
GL-668	12	24	10	8	△	3
GL-669	12	25	10	8	～	3
GL-670	12	31	10	8	△	3
GL-671	12	32	10	8	～	3
GL-672	12	37	10	8	△	3
GL-673	12	38	10	8	～	3
GL-674	12	43	10	8	△	3
GL-675	12	44	10	8	～	3
GL-676	12	49	10	8	△	3
GL-677	12	50	10	8	～	3
GL-678	12	64	10	8	△	3
GL-679	12	65	10	8	～	3
GL-680	12	74	10	8	△	3

GLタイプ



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GL-681	12	75	10	8	~	3
GL-682	12	89	10	8	△	3
GL-683	12	90	10	8	~	3
GL-684	12	99	10	8	△	3
GL-685	12	100	10	8	~	3
GL-686	12	124	10	8	△	3
GL-687	12	125	10	8	~	3

GUタイプ



品番	A (mm)	B (mm)	C (mm)	D (mm)	巾加工	長さ (m)
GU-1	9	24	4	4	△	3
GU-2	9	25	4	4	~	3
GU-3	9	31	4	4	△	3
GU-4	9	32	4	4	~	3
GU-5	9	37	4	4	△	3
GU-6	9	38	4	4	~	3
GU-7	9	43	4	4	△	3
GU-8	9	44	4	4	~	3
GU-9	9	49	4	4	△	3
GU-10	9	50	4	4	~	3
GU-11	9	64	4	4	△	3
GU-12	9	65	4	4	~	3
GU-13	9	74	4	4	△	3
GU-14	9	75	4	4	~	3
GU-15	9	89	4	4	△	3
GU-16	9	90	4	4	~	3
GU-17	9	99	4	4	△	3
GU-18	9	100	4	4	~	3
GU-19	9	102	4	4	△	3
GU-20	9	124	4	4	△	3
GU-21	9	125	4	4	~	3
GU-22	12	24	4	4	△	3
GU-23	12	25	4	4	~	3
GU-24	12	31	4	4	△	3
GU-25	12	32	4	4	~	3
GU-26	12	37	4	4	△	3
GU-27	12	38	4	4	~	3
GU-28	12	43	4	4	△	3
GU-29	12	44	4	4	~	3
GU-30	12	49	4	4	△	3
GU-31	12	50	4	4	~	3
GU-32	12	64	4	4	△	3
GU-33	12	65	4	4	~	3
GU-34	12	74	4	4	△	3
GU-35	12	75	4	4	~	3
GU-36	9	24	5	4	△	3
GU-37	9	25	5	4	~	3
GU-38	9	31	5	4	△	3
GU-39	9	32	5	4	~	3
GU-40	9	37	5	4	△	3

